

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 1430 Alexandria, Virginia 22313-1450 www.tepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/774,211	02/06/2004	Vinod Prakash	1864.0056US1	6906
7590 03/13/2008 Global IP Services PLLC 198F 27th Cross 3rd Block Jayanagar			EXAMINER	
			SAINT CYR, LEONARD	
Bangalore, 560011 INDIA			ART UNIT	PAPER NUMBER
			2626	
			MAIL DATE	DELIVERY MODE
			03/13/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/774,211 PRAKASH ET AL. Office Action Summary Examiner Art Unit LEONARD SAINT CYR 2626 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 04 December 2007. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-22 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-22 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on 06 February 2004 is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No.
 3. Copies of the certified copies of the priority documents have been received in this National Stage

application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Art Unit: 2626

DETAILED ACTION

Response to Arguments

 Applicant's arguments filed 12/04/07 have been fully considered but they are not persuasive.

Applicant argues that Liu et al., does not teach providing a modified two-loop quantization technique that maintains audio quality at medium to high bit rates while reducing artifacts at low bit rates (Amendment, pages 11 - 13).

The examiner disagrees, Liu et al., teach that an iterative rate control loop adjusts the quantization parameters and the quantization step size if the number of bits in the encoded data exceeds a prescribed number of bits available for the encoded data. The quantization parameters are evaluated directly from the quality criteria for the graceful degradation in consideration of the quantization bandwidth and the required bits in the non-equal frequency lines by means of a rate-controlling loop for low bit-rate audio coding process (Abstract, lines 7 – 10; paragraph 15, lines 1 – 6). Adjusting the quantization parameters and the quantization step size by means of a rate-controlling loop for low bit-rate audio coding process implies providing a modified two-loop quantization technique that maintains audio quality at medium to high bit rates while reducing artifacts at low bit rates, since the quality-controlling loop determines the quality of the coded audio.

Page 3

Application/Control Number: 10/774,211

Art Unit: 2626

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1 – 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Liu et al., (US PAP 2004/0002859).

As per claim 1, Liu et al., teach a method for quantizing an audio signal, the method comprising:

iteratively incrementing a quantization step size of each scale factor band of a current frame ("an iterative rate control loop adjust the ...the quantization step size";

Abstract. lines 8 – 11):

comparing a number of bits consumed in quantizing spectral lines in scale factor bands in the current frame to a specified bit rate ("compares a prescribed number"; paragraph 30, lines 14 – 19):

determining whether the quantization step sizes in one or more scale factor bands are at a vanishing point ("quantization bands must be zero"; paragraph 66); and freezing the quantization step sizes in all the scale factor bands and exiting the quantization of the current frame when the number of bits consumed is at or below the

Art Unit: 2626

specified bit rate ("the number of required bits for the encoding reaches the number of bits available"; paragraph 28, lines 6 – 8).

As per claim 2, Liu et al., further disclose grouping sets of spectral lines to form the scale factor bands in the current frame ("number of lines grouped in quantization band"; paragraph 4, lines 1-4);

assigning an initial quantization step size to each scale factor band in the current frame; and quantizing the sets of spectral lines in each scale factor band ('the quantization step size may also be adjusted"; paragraph 29, lines 9, and 10).

As per claim 3, Liu et al., further disclose that the vanishing point comprises: a quantized value of substantially close to value of '0' ("quantization bands must be zero"; paragraph 66).

As per claims 4, and 12, Liu et al., teach quantizing an audio signal comprising: determining whether a number of bits consumed in quantizing spectral lines in scale factor bands in a current frame is at or below a user specified bit rate ("compares a prescribed number"; paragraph 30, lines 14 – 19; paragraph 28, lines 6 – 8);

if so, freezing the quantization step sizes in all the scale factor bands and exiting the quantization of the current frame ("the number of required bits for the encoding reaches the number of bits available"; paragraph 28, lines 6 - 8);

Art Unit: 2626

if not, incrementing quantization step size of each scale factor band by a predetermined quantization step size ("an iterative rate control loop adjust the ...the quantization step size"; Abstract, lines 8 – 11);

determining whether the quantization step sizes in one or more scale factor bands are at a vanishing point ("quantization bands must be zero"; paragraph 66); and if not, repeating the above steps ('the quantization step size is increased ... The process is repeated": paragraph 28. lines 5 –8).

As per claims 5, and 13, Liu et al., further disclose if so, freezing the quantization step sizes of the one or more scale factor bands that are at the vanishing point (paragraph 28, lines 5 – 8; paragraph 66);

quantizing the spectral lines of remaining scale factor bands that are not at the vanishing point ("number of lines grouped in quantization band"; paragraph 4, lines 1 – 4);

determining whether number of bits consumed in the remaining scale factor bands is at or below the user specified bit rate ("compares a prescribed number"; paragraph 30, lines 14 - 19);

if so, freezing the quantization step sizes in all the remaining scale factor bands and exiting the quantization of the current frame; if not, incrementing quantization step size of each remaining scale factor band by the predetermined quantization step size ("this process is repeated until the number required bits ...reaches the number of bits available": paragraph 28, lines 5 – 8):

Art Unit: 2626

determining whether the quantization step sizes in all the remaining scale factor bands are at the vanishing point ("quantization bands must be zero"; paragraph 66); and

if not, repeating the above steps ("the quantization step size is increased ... The process is repeated"; paragraph 28, lines 5 –8).

As per claim 6, Liu et al., further disclose if so, comparing the remaining scale factor bands with a perceptual priority chart; dropping one or more of the remaining scale factor bands as a function of the comparison ("adjusting the parameters values to fit to a perceptual criterion"; paragraph 7, lines 9 – 11);

determining whether number of bits consumed by the remaining scale factor bands is at or below the user specified bit rate in the current frame("compares a prescribed number"; paragraph 30, lines 14 – 19);

if so, freezing the quantization step sizes in all the remaining scale factor bands; and if not, repeating the above steps and dropping one or more additional scale factor bands as a function of the comparison until the number of bits consumed by the remaining scale factor bands is at or below the user specified bit rate ("this process is repeated until the number required bits ...reaches the number of bits available"; paragraph 28, lines 5 – 8).

Application/Control Number: 10/774,211
Art Unit: 2626

As per claim 7, Liu et al., further disclose grouping sets of spectral lines to form the scale factor bands in the current frame ("number of lines grouped in quantization band"; paragraph 4, lines 1-4);

assigning an initial quantization step size to each scale factor band in the current frame; and quantizing the sets of spectral lines in each scale factor band ('the quantization step size may also be adjusted"; paragraph 29, lines 9, and 10).

As per claim 8, Liu et al., further disclose that the vanishing point comprises: a quantized value of substantially close to value of '0' ("quantization bands must be zero"; paragraph 66).

As per claim 9, Liu et al., teach a method for quantizing spectral information in an audio encoder comprising:

assigning an initial quantization step size to each scale factor band in a current frame as a function of a priority chart generated based on a perceptual model; forming a first perceptual priority chart for the assigned scale factor bands ("adjusting the parameters values to fit to a perceptual criterion"; paragraph 29, lines 9, and 10; paragraph 7, lines 9 – 11);

determining whether number of bits consumed in quantizing spectral lines in scale factor bands in a current frame is at or below a user specified bit rate ("compares a prescribed number"; paragraph 30, lines 14 – 19);

Application/Control Number: 10/774,211
Art Unit: 2626

if so, freezing the quantization step sizes in all the scale factor bands and exiting the quantization of the current frame; if not, incrementing quantization step size of each scale factor band based on the first perceptual priority chart ("this process is repeated until the number required bits ...reaches the number of bits available"; paragraph 28, lines 5-8):

determining whether one or more scale factor bands are at a vanishing point ("quantization bands must be zero"; paragraph 66); and

if not, repeating the above steps ("this process is repeated"; paragraph 28, lines 5-8).

As per claim 10, Liu et al., further if so, freezing the quantization step sizes of the one or more scale factor bands that are at the vanishing point ("until the number of required bits ...reaches the number of bits"; paragraph 66; paragraph 28, lines 5 – 8);

forming a second perceptual priority chart by removing the one or more scale factor bands that are at the vanishing point from the first perceptual priority chart ("adjusting the parameters values to fit to a perceptual criterion implies forming a second perceptual priority chart"; paragraph 29, lines 9, and 10; paragraph 7, lines 9 – 11);

quantizing spectral lines of remaining scale factor bands that are not at the vanishing point ("number of lines grouped in quantization band"; paragraph 4, lines 1 – 4):

Application/Control Number: 10/774,211
Art Unit: 2626

determining whether number of bits consumed in the remaining scale factor bands is at or below the user specified bit rate ("compares a prescribed number"; paragraph 30, lines 14 - 19);

if so, freezing the quantization step sizes in all the remaining scale factor bands and exiting the quantization of the current frame; if not, incrementing quantization step size of each remaining scale factor band based on the second perceptual priority chart("this process is repeated until the number required bits ...reaches the number of bits available"; paragraph 28, lines 5-8);

determining whether all the remaining scale factor bands are at the vanishing point ("quantization bands must be zero"; paragraph 66); and

if not, repeating the above steps ("this process is repeated"; paragraph 28, lines 5-8).

As per claims 11, and 14, Liu et al., further disclose if so, comparing the remaining scale factor bands with the first perceptual priority chart; dropping one or more of the remaining scale factor bands having lower perceptual priority as a function of the comparison ("adjusting the parameters values to fit to a perceptual criterion"; paragraph 7, lines 9 –11)

determining whether number of bits consumed by the remaining scale factor bands is at or below the user specified bit rate in the current frame("compares a prescribed number"; paragraph 30, lines 14 – 19);

Art Unit: 2626

if so, freezing the quantization step sizes of all the remaining scale factor bands; and if not, repeating the above steps and dropping one or more additional scale factor bands as a function of the comparison until the number of bits consumed by the remaining scale factor bands is at or below the user specified bit rate chart ("this process is repeated until the number required bits ...reaches the number of bits available"; paragraph 28, lines 5 – 8).

As per claims 15, 18, and 21, Liu et al., teach an audio coder comprising:

an input module partitions an audio signal into a sequence of successive frames
("bands"; paragraph 4, lines 1 – 3);

a time-to-frequency transformation module obtains the spectral lines in each frame and forms critical bands by grouping sets of neighboring spectral lines (paragraph 3, line 3); and

an encoder coupled to the time-to-frequency module, wherein the encoder further comprises:

an inner loop module determines whether number of bits consumed is at or below a user specified bit rate in a current frame, wherein the inner loop module freezes quantization step sizes in all the critical bands when the number of bits consumed is at or below the user specified bit rate ("the process is repeated"; paragraph 28, lines 5 – 8); and

an outer loop module increments quantization step sizes of each critical band by a predetermined quantization step size when the number of bits consumed is above the

Art Unit: 2626

user specified bit rate, and wherein the outer loop module increments quantization step sizes and determines whether quantization step sizes in one or more critical bands are at the vanishing point, and wherein the outer loop module freezes the quantization step sizes of the one or more critical bands that are at the vanishing point ("two nested loop"; paragraph 66; paragraph 29, lines 9 – 10; paragraph 28, lines 5 – 8; paragraph 77, lines 9, and 10).

As per claims 16, and 19, Liu et al., further disclose that the outer loop module quantizes spectral lines of remaining critical bands that are not at the vanishing point, wherein the inner loop module determines whether number of bits consumed by the critical bands is at or below the user specified bit rate, wherein the outer loop module freezes the quantization step sizes in all the remaining critical bands and exits quantization of the current frame, wherein the outer loop module increments quantization step sizes of the remaining critical bands by the predetermined quantization step size, wherein the outer loop module determines whether the remaining critical bands are at the vanishing point, and wherein the outer loop module increments quantization step sizes until the user specified bit rate is met when none of the remaining critical bands are not at the vanishing point ("a parameter adjustment is made and the quantization step size is increased"; paragraph 66; paragraph 29, lines 9 – 10; paragraph 28, lines 5 – 8; paragraph 77, lines 9, and 10).

Art Unit: 2626

As per claim 17, and 20, Liu et al., further disclose that the outer loop module compares the remaining critical bands with a perceptual priority chart when all the critical bands are at the vanishing point, wherein the outer loop module drops the one or more of the critical bands having a lower perceptual quality as a function of the comparison, wherein the inner loop module determines whether number of bits consumed by the spectral lines in the remaining critical bands is at or below the user specified bit rate in the current frame, wherein the outer loop module freezes the quantization step sizes of all the remaining critical bands when the number of bits consumed by the remaining critical bands is at or below the user specified bit rate, and wherein the outer loop module drops one or more critical bands until the user specified bit rate is met when the number of bits consumed by the remaining critical bands are above the user specified bit rate ("adjusting the parameters values to fit to a perceptual criterion"; paragraph 66; paragraph 29, lines 9 – 10; paragraph 28, lines 5 – 8; paragraph 77, lines 9, and 10; paragraph 7, lines 9 - 11).

As per claim 22, Liu et al., further disclose that the vanishing point comprises: a quantized value of substantially close to value of '0' ("quantization bands must be zero"; paragraph 66).

Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2626

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonard Saint-Cyr whose telephone number is (571) 272-4247. The examiner can normally be reached on Mon-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on (571) 272-7602. The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should Application/Control Number: 10/774,211 Page 14

Art Unit: 2626

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LS 03/03/08

/Richemond Dorvil/

Supervisory Patent Examiner, Art Unit 2626

Application Number

 Application/Control No.
 Applicant(s)/Patent under Reexamination

 10/774,211
 PRAKASH ET AL.

 Examiner
 Art Unit

 LEONARD SAINT CYR
 2626